



**GENERAL PRODUCTS BULLETIN**

JANUARY 2007

## CENTRIFUGAL ROOF VENTILATORS

### BELT DRIVE CENTRIFUGAL EXHAUSTER



**MODEL DB**  
 SIZES 6 TO 48  
 100 TO 28,600 CFM  
 STATIC PRESSURE TO 1-1/4"  
 AMCA SEAL FOR AIR & SOUND  
 UL LISTING AVAILABLE

### DIRECT DRIVE CENTRIFUGAL EXHAUSTER



**MODEL RED**  
 SIZES 6 TO 15  
 40 TO 3,000 CFM  
 STATIC PRESSURE TO 1"  
 AMCA SEAL FOR AIR & SOUND  
 UL LISTING AVAILABLE

### DIRECT DRIVE CENTRIFUGAL UPBLAST EXHAUSTER



**MODEL TXD**  
 SIZES 6 TO 15  
 250 TO 3,400 CFM  
 STATIC PRESSURE TO 1-1/4"  
 AMCA SEAL FOR AIR & SOUND  
 OPTIONAL UL LISTING  
 SIDEWALL MOUNT AVAILABLE

### BELT DRIVE CENTRIFUGAL UPBLAST EXHAUSTER



**MODEL TXB**  
 SIZES 8 TO 48  
 300 TO 35,000 CFM  
 STATIC PRESSURE TO 3-1/4"  
 AMCA SEAL FOR AIR & SOUND  
 OPTIONAL UL LISTING  
 SIDEWALL MOUNT AVAILABLE

### BELT DRIVE CENTRIFUGAL UPBLAST EXHAUSTER



**MODEL NBRTD**  
 SIZES 14 TO 24  
 450 TO 6,820 CFM  
 STATIC PRESSURE TO 3"  
 UL-762 GREASE LISTING  
 SIDEWALL MOUNT AVAILABLE

### ULTRA LOW PROFILE DIRECT DRIVE CENTRIFUGAL EXHAUSTER



**MODEL LPD**  
 SIZES 6 TO 8  
 50 TO 420 CFM  
 STATIC PRESSURE TO 1-3/4"  
 AMCA SEAL FOR AIR & SOUND  
 UL LISTING AVAILABLE  
 SIDEWALL MOUNT AVAILABLE

### BELT DRIVE FILTERED SUPPLY FAN



**MODEL KSF**  
 SIZES 9 TO 20  
 375 TO 12,000 CFM  
 STATIC PRESSURE TO 2"  
 AMCA SEAL FOR AIR & SOUND  
 UL LISTING AVAILABLE  
 INTAKE EXTENSION AVAILABLE

### BELT DRIVE FILTERED CENTRIFUGAL SUPPLY FAN

**MODEL CSF**



**SIZES 9 TO 20**  
 375 TO 13,600 CFM  
 STATIC PRESSURE TO 2"  
 AMCA SEAL FOR AIR PERFORMANCE  
 UL LISTING AVAILABLE  
 HOODED OR LOUVERED HOUSING

**MODEL LSF**



## PROPELLER ROOF VENTILATORS

### BELT/DIRECT DRIVE UPBLAST PROPELLER EXHAUSTER



MODEL UBB/UBX/UBRD  
SIZES 24 TO 72  
5,900 TO 72,725 CFM  
STATIC PRESSURE TO 1/2"  
AMCA SEAL FOR AIR & SOUND  
(UBB AND UBX ONLY)  
UL LISTING AVAILABLE  
REMOTE DRIVE MODELS AVAILABLE

### DIRECT DRIVE DOME EXHAUST OR SUPPLY POWER ROOF VENTILATOR



MODELS ARE/ARS  
SIZES 10 TO 20  
260 TO 3,180 CFM  
STATIC PRESSURE TO 3/4"  
UL LISTING AVAILABLE

### BELT/DIRECT DRIVE PROPELLER ROOF SUPPLY FAN



MODELS HRSB/HRSB-F (SIZES 24 TO 60)  
MODEL HRSD (SIZES 24 TO 54)  
2,500 TO 49,000 CFM  
STATIC PRESSURE TO 3/4"  
UL LISTING AVAILABLE  
REVERSIBLE MODELS AVAILABLE

### REMOTE BELT DRIVE TUBEAXIAL UPBLAST EXHAUSTER



MODEL TUB  
SIZES 24 TO 60  
6,200 TO 49,300 CFM  
STATIC PRESSURE TO 1"

MODEL TUB-HT  
SIZES 24 TO 60  
6,200 TO 57,000 CFM  
STATIC PRESSURE TO 3/4"  
UL-793 HI-TEMPERATURE  
FOR HEAT & SMOKE  
REMOVAL

### BELT/DIRECT DRIVE PROPELLER ROOF EXHAUSTER



MODEL HREB/HRED  
SIZES 24 TO 60  
1,150 TO 48,400 CFM  
STATIC PRESSURE TO 3/4"  
AMCA SEAL FOR AIR & SOUND  
(HRED SOUND ONLY)  
UL LISTING AVAILABLE  
REVERSIBLE MODELS AVAILABLE

## IN-LINE/CEILING & CABINET FANS

### BELT/DIRECT DRIVE SQUARE IN-LINE CENTRIFUGAL FAN



MODEL SQB (SIZES 7 TO 42)  
MODEL SQD (SIZES 6 TO 15)  
150 TO 24,500 CFM  
STATIC PRESSURE TO 3-1/2"  
AMCA SEAL FOR AIR & SOUND  
UL LISTING AVAILABLE

### DIRECT DRIVE CEILING AND CABINET FAN



MODELS FF & FFC  
SIZES 50 TO 3500  
50 TO 3,600 CFM  
STATIC PRESSURE TO 1"  
AMCA SEAL FOR AIR & SOUND  
UL LISTED

### BELT/DIRECT DRIVE TUBEAXIAL FAN



MODEL BDT (SIZES 12 TO 54)  
MODEL DDT (SIZES 12 TO 48)  
945 TO 59,800 CFM  
STATIC PRESSURE TO 1-1/4"  
UL LISTINGS AVAILABLE  
STEEL OR ALUMINUM PROPELLERS



## SIDEWALL & UTILITY SET FANS

### BELT DRIVE SIDEWALL PROPELLER FAN (LEVEL 1)



MODEL LC  
SIZES 20 TO 60  
3,700 TO 40,000 CFM  
STATIC PRESSURE TO 1/2"  
AMCA SEAL FOR AIR & SOUND  
UL LISTING AVAILABLE

### BELT DRIVE SIDEWALL PROPELLER FAN (LEVEL 2)



MODEL L2  
SIZES 24 TO 60  
5,300 TO 47,000 CFM  
STATIC PRESSURE TO 3/4"  
AMCA SEAL FOR AIR & SOUND  
UL LISTING AVAILABLE  
REVERSIBLE MODELS AVAILABLE

### DIRECT DRIVE SIDEWALL PROPELLER FAN



MODEL GED  
SIZES 10 TO 20  
200 TO 3,460 CFM  
STATIC PRESSURE TO 1"  
UL LISTING AVAILABLE

### BELT DRIVE SIDEWALL PROPELLER FAN (LEVEL 3)



MODEL L3  
SIZES 42 TO 72  
29,500 TO 685,000 CFM  
STATIC PRESSURE TO 1"  
AMCA SEAL FOR AIR & SOUND  
UL LISTING AVAILABLE  
REVERSIBLE MODELS AVAILABLE

### BELT DRIVEN VENT SET



MODEL BVS  
SIZES 10 TO 36  
500 TO 23,950 CFM  
STATIC PRESSURE TO 5"  
AMCA SEAL FOR AIR & SOUND  
UL LISTINGS AVAILABLE

### DIRECT DRIVE CENTRIFUGAL SIDEWALL EXHAUSTER



MODEL CWD  
SIZES 7 TO 16  
150 TO 3,360 CFM  
STATIC PRESSURE TO 1"  
AMCA SEAL FOR AIR & SOUND  
UL LISTING AVAILABLE

## GRAVITY ROOF VENTILATORS

### GRAVITY RELIEF/INTAKE VENTILATOR



MODEL RCXII  
SIZES 8 TO 36  
160 TO 10,300 CFM  
STATIC PRESSURE TO 3/10"

### HOODED GRAVITY RELIEF/INTAKE VENTILATOR



MODEL BGH  
SIZES 12 X 12 TO 72 X 144  
500 TO 90,000 CFM  
STATIC PRESSURE TO 1/4"

### RELIEF/INTAKE LOUVERED VENTILATOR



MODEL RLX  
SIZES 12 X 12 TO 60 X 120  
400 TO 69,500 CFM  
STATIC PRESSURE TO 1/5"

**Jenco Fan**  
A Tradition of Quality

6393 POWERS AVE.  
JACKSONVILLE, FL 32217  
P. 904.731.4711 F. 904.737.8322  
WWW.JENCOFAN.COM

REPRESENTED BY: